

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1660599	dry or drying	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:26
L2	5275208	(semiconductor\$1 or semi\$1conductor\$1) or chip\$1 or microchip \$1 or microcircuit\$1 or processor\$1 or microprocessor\$1 or substrate\$1 or micro \$1chip	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L3	26580	(Transparent or (see through) or see \$1through or clear or pale or lucent or translucent) near5 (particle or particulate)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L4	3031	L2 with L3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L5	2236666	cure or curing or dry or drying or ((thermal or heat) near5 (conduct or conducts or conductor or conductivity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L6	417398	("427".clas. or "118". clas. or "428".clas.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27

L7	495305	(zinc adj oxide) or ZnO or (indium adj oxide) or In <sub>2</sub> O <sub>3</sub> or "In.sub.2.O.sub.3" or (tin adj oxide) or SnO or tin dioxide or (stannous adj oxide) or (stannic adj oxide) or SnO <sub>2</sub> or "SnO.sub.2" or (zinc adj sulfide) or (zinc adj sulphide) or ZnS or (tin adj sulfide) or SnS <sub>2</sub> or "SnS.sub.2" or (antimony adj oxide) or (antimony adj trioxide) or Sb <sub>2</sub> O <sub>3</sub> or "Sb.sub.2.O.sub.3"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L8	1081	L7 and L4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L9	760	L8 and L5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L10	991673	(sphere or spherical or flake or flake-form or flake-like or flakelike or needle or needle-shaped or needlelike or (needle adj like) or whisker \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L11	374	L10 and L9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L12	94	L6 and L11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27
L13	81	L12 and L1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/08 08:27

S1	3083792	(semiconductor\$1 or semi\$1conductor\$1) or chip\$1 or microchip \$1 or microcircuit\$1 or processor\$1 or microprocessor\$1 or substrate\$1 or micro \$1chip	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:10
S2	451868	(indium-tin adj oxide) or (indium adj tin adj oxide) or ITO	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:23
S3	476290	(zinc adj oxide) or ZnO or (indium adj oxide) or In <sub>2</sub> O <sub>3</sub> or "In.sub.2.O.sub.3" or (tin adj oxide) or SnO or tin dioxide or (stannous adj oxide) or (stannic adj oxide) or SnO <sub>2</sub> or "SnO.sub.2" or (zinc adj sulfide) or (zinc adj sulphide) or ZnS or (tin adj sulfide) or Sn S1 or "SnS.sub.2"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:23
S4	186838	zinc oxide or ZnO	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:24
S5	5272448	(semiconductor\$1 or semi\$1conductor\$1) or chip\$1 or microchip \$1 or microcircuit\$1 or processor\$1 or microprocessor\$1 or substrate\$1 or micro \$1chip	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:24
S6	26554	(Transparent or (see through) or see \$1through or clear or pale or lucent or translucent) near5 (particle or particulate)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:24
S7	3029	S5 with S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:25

S8	2104670	(Transparent or (see through) or see \$1through or clear or pale or lucent or translucent)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:26
S9	867589	S5 and S8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:27
S10	116534	S3 and S9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:29
S11	256894	S5 with S8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:30
S12	61398	S11 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:32
S13	2235478	cure or curing or dry or drying or ((thermal or heat) near5 (conduct or conducts or conductor or conductivity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:34
S14	30020	S12 and S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:35
S15	7819	S14 and ("427".clas. or "118".clas. or "428".clas.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:36
S16	1071	S3 and S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:39
S17	753	S16 and S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:40

S18	417217	("427".clas. or "118".clas. or "428".clas.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:41
S19	214	S17 and S18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:41
S20	969715	(sphere or spherical or flake or flake-form or flake-like or flakelike or needle or needle-shaped or needlelike or (needle adj like))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:43
S21	365	S17 and S20	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:43
S22	89	S18 and S21	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 08:43
S23	301141	(infrared adj radiation) or ir	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:36
S24	3083792	(semiconductor\$1 or semi\$1conductor\$1) or chip\$1 or microchip\$1 or microcircuit\$1 or processor\$1 or microprocessor\$1 or substrate\$1 or micro\$1chip	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37

S25	476290	(zinc adj oxide) or ZnO or (indium adj oxide) or In <sub>2</sub> O <sub>3</sub> or "In.sub.2.O.sub.3" or (tin adj oxide) or SnO or tin dioxide or (stannous adj oxide) or (stannic adj oxide) or SnO <sub>2</sub> or "SnO.sub.2" or (zinc adj sulfide) or (zinc adj sulphide) or ZnS or (tin adj sulfide) or SnS <sub>2</sub> or "SnS.sub.2"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S26	5272448	(semiconductor\$1 or semi\$1conductor\$1) or chip\$1 or microchip\$1 or microcircuit\$1 or processor\$1 or microprocessor\$1 or substrate\$1 or micro\$1chip	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S27	26554	(Transparent or (see through) or see \$1through or clear or pale or lucent or translucent) near5 (particle or particulate)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S28	3029	S26 with S27	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S29	2235478	cure or curing or dry or drying or ((thermal or heat) near5 (conduct or conducts or conductor or conductivity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S30	1071	S25 and S28	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S31	753	S30 and S29	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37

S32	417217	("427".clas. or "118".clas. or "428".clas.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S33	969715	(sphere or spherical or flake or flake-form or flake-like or flakelike or needle or needle-shaped or needlelike or (needle adj like))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S34	365	S31 and S33	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S35	89	S32 and S34	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S36	18	S23 and S35	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:37
S38	2336305	ink or print\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:48
S39	13	S36 and S38	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:48
S40	2	"5876856".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:52
S41	2	"5350448".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:52

S42	494996	(zinc adj oxide) or ZnO or (indium adj oxide) or In <sub>2</sub> O <sub>3</sub> or "In.sub.2.O.sub.3" or (tin adj oxide) or SnO or tin dioxide or (stannous adj oxide) or (stannic adj oxide) or SnO <sub>2</sub> or "SnO.sub.2" or (zinc adj sulfide) or (zinc adj sulphide) or ZnS or (tin adj sulfide) or SnS <sub>2</sub> or "SnS.sub.2" or (antimony adj oxide) or (antimony adj trioxide) or Sb <sub>2</sub> O <sub>3</sub> or "Sb.sub.2.O.sub.3"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:09
S43	1080	S42 and S28	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:10
S44	759	S43 and S29	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:11
S45	368	S44 and S33	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:12
S46	91	S45 and S32	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:13
S47	3	("5876856").URPN.	USPAT	ADJ	ON	2008/05/06 10:13
S48	991049	(sphere or spherical or flake or flake-form or flake-like or flakelike or needle or needle-shaped or needlelike or (needle adj like) or whisker \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:16
S49	373	S48 and S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:17



S50	94	S32 and S49	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 10:18
S52	9	"5662962"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 11:02
S53	2	"6316110".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 11:05
S54	32	((ADALBERT) near2 (HUBER)).INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 12:02
S55	1	("5662962").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/07 17:15

5/ 8/ 2008 9:56:49 AM

C:\Documents and Settings\awedde\My Documents\EAST\Workspaces\10519354\_080401.  
wsp